

Safety

Correct Seating Position

A right seating feature allows the seat belts and airbags guard you in an twist of fate. The the use of stress must make sure that every one passengers sit down efficaciously and placed on their seat belts all through the journey. Adjust the seat, guidance wheel, mirrors and head restraint earlier than using, and make sure children are secured in a appropriate infant seat. Avoid sitting sideways, reclining too a long way, kneeling or reputation at the seats, setting your ft at the dashboard, or leaning out of the home domestic windows.

Never tour without a seat belt or sit down inside the baggage compartment or footwell. Sitting incorrectly can lessen seat belt protection and growth the hazard of great damage if an airbag deploys. Adjust the the the front seat so that you can press all pedals without difficulty on the identical time as retaining your knees slightly bent. Your lower decrease again need to relaxation toward the upright backrest, and your thighs must be supported with the aid of way of the seat cushion.

Maintain at least 25 cm amongst your chest and the steerage wheel, along with your knees at least 10 cm from the dashboard. A successfully adjusted seat lets in you hold control of the automobile and permits the protection systems to paintings as intended. If you can not benefit a snug and constant seating function because of bodily boundaries, are looking for recommendation from a licensed vehicle professional.

Fronts Seats

For safe using, modify your seat, guidance wheel, mirrors and head restraint before placing off. Keep your returned in opposition to the upright backrest, your knees slightly bent when urgent the pedals, and at the least 25 cm between your chest and the guidance wheel. Your knees must also continue to be at least 10 cm from the dashboard. An incorrect seating function can lessen seat belt effectiveness and growth the hazard of great damage for the duration of an twist of fate. Children need to be secured in a appropriate toddler restraint. Depending to your Audi RS6's equipment, the the front seats may be adjusted manually or electrically.

You can alternate the seat top, flow it forwards or backwards, adjust the backrest and high-quality-tune lumbar support. Some fashions additionally provide adjustable thigh assist, seat rub down and further settings thru the MMI. Always adjust the seat at the same time as the car is stationary. Keep the driving force's footwell clean of free items and make certain floor mats can not intervene with the pedals.

Take care while using the seat controls, and do no longer depart youngsters unattended at the same time as electric changes are feasible. On equipped models, the the front-seat rub down function may be switched on or off using the seat manage, and it can stop routinely after around 10 minutes. The front centre armrest can also be repositioned consistent with the automobile's gadget. Set it so it does now not restriction your arms or interfere with guidance.

Steering Wheels

The Audi RS6 lets in drivers to alter the guidance wheel to a cushty role, both manually or electrically, depending at the model. Keep your chest at the least 25 cm from the steering wheel, along with your arms barely bent and both hands placed across the nine and three o'clock positions. Always adjust the guidance wheel before riding and make sure it's far securely locked. The seat reminiscence function, available on equipped fashions, lets you shop and recollect desired seat and exterior reflect positions. Press the SET button and pick a memory button to shop your settings.

To keep away from sudden motion or damage, handiest keep in mind stored positions while the automobile is stationary. Head restraints must be adjusted so the pinnacle is stage with the pinnacle of your head and sits as near as feasible to the lower back of your head. Raise the rear head restraints whilst those seats are occupied. Correct adjustment enables lessen the risk of neck accidents all through sudden braking or a collision. If a head restraint ought to be eliminated to match a infant seat, reinstall it as quickly as feasible afterward.

Seats Belt

Seat belts are critical for shielding all and sundry within the automobile. Every occupant need to put on a seat belt efficiently, despite the fact that airbags are

ready. A well worn belt permits preserve the body inside the proper characteristic at some point of a collision and allows the airbags to offer better protection. The lap segment must in form snugly in the course of the hips, while the shoulder phase should run throughout the middle of the shoulder and chest. Keep the belt flat, untwisted and in company touch with the frame.

Never area the shoulder belt underneath your arm, in the returned of your decrease once more or all through your neck. Avoid carrying it over difficult items or bulky apparel that would have an impact on its in shape. During pregnancy, feature the lap belt low sooner or later of the hips, below the belly, with the shoulder belt walking at some stage in the chest. Never percentage a seat belt with every other individual or deliver a little one for your lap on the identical time as traveling. To launch it, press the pink buckle button and guide the belt again into its retractor.

Adjust the the front seat belt top in order that the shoulder segment fits with no trouble at some point of the centre of your shoulder. Slide the guide becoming upwards to elevate the belt. To lower it, press the release mechanism and flow into the manual down. Automatic retractors permit normal motion however lock in the course of unexpected braking or high-quality riding manoeuvres. Belt strain limiters assist lessen the stress completed to the body during a collision. Depending at the automobile's system, reversible belt tensioners also can tighten a unfastened belt, while pyrotechnic tensioners activate routinely in sure collisions.

If a pyrotechnic tensioner has activated, the system must be replaced with the resource of a certified workshop. Pay hobby to seat belt warning lighting and test out the belts regularly. If the webbing, buckle, fittings or retractor is broken, have the belt modified with the aid of a licensed workshop. Seat belts that have been involved in an twist of destiny might also additionally moreover require alternative. Never try and repair or regulate them yourself. Airbags provide extra safety but do now not update seat belts.

All occupants must sit down upright in the appropriate feature and maintain their seat belts set up. Avoid leaning in opposition to doorways or domestic windows, putting your ft on the dashboard, or keeping gadgets amongst your self and an airbag. Do not be part of stickers or coverings to airbag panels, and maintain the regions in which airbags set up clean. Only use seat covers particularly legal for the car's airbag machine, as wrong covers can intervene with deployment.

Keep the centre armrest closed whilst using if the car has a centre airbag. Airbag additives need to be inspected and repaired through using a certified workshop. After an airbag has deployed, have the system changed promptly. A small amount of dust may additionally additionally seem at the same time as an airbag inflates; if contamination or respiratory soreness takes location, pass into easy air.

Airbags

Airbags offer additional safety in the course of a collision, however they paintings alongside seat belts in preference to replacing them. All occupants must sit in the perfect role and keep their seat belts mounted. Avoid leaning forward, resting your toes at the dashboard, or putting gadgets among your self and an airbag. Never hold heavy or sharp gadgets near airbag deployment regions. Use handiest seat covers accredited for the car's airbag device, as incorrect covers might also save you the airbags from deploying efficaciously. Do now not connect stickers or coverings to airbag panels. Any harm to seat upholstery near an airbag should be repaired with the aid of a qualified workshop.

The airbag caution mild must remove darkness from in brief while the ignition is switched on after which exit. If it remains on, flashes even as driving, or fails to light up, have the protection machine checked through a certified workshop as quickly as possible. Airbags and their additives must be inspected and repaired by way of trained professionals. Depending on the vehicle's equipment, the airbag gadget may include the front airbags, facet airbags, head-protection airbags and a centre airbag. Sensors come across the severity and nature of a collision, and the manage unit comes to a decision whether the airbags need to deploy.

Not every accident triggers an airbag, as deployment relies upon on factors together with effect direction and automobile deceleration. When activated, an airbag inflates rapidly to help lessen the effect on the head and top body. Some dirt can be released for the duration of deployment. If it reasons inflammation or respiratory pain, flow to fresh air as quickly as it is secure to achieve this. Once an airbag has deployed, have the device changed via a certified workshop.

Some cars allow the front passenger airbag to be switched off the use of a key-operated switch inside the glove container. When the airbag is deactivated, the PASSENGER AIR BAG OFF indicator have to continue to be illuminated. When it's far activated, the corresponding ON indicator can also illuminate in short. A rear-dealing with infant restraint must always be set up on a rear seat each time viable. If the vehicle instructions permit its use at the front passenger seat and there is no opportunity, the the front passenger airbag need to be switched off as distinct by way of the producer.

Check that the OFF indicator stays illuminated. Reactivate the airbag while the rear-going through child seat is no longer required. Adults need to not tour in a front passenger seat with its airbag deactivated. Make sure the kid seat is secured effectively and that the supporting car seat backrest is firmly locked. For a ahead-dealing with child seat, ensure its returned suits properly in opposition to the car seat. Adjust or cast off the head restraint if vital, and reinstall it as soon as the child seat is removed. Leave sufficient space among the kid and the seat in front, adjusting the seat function if wanted.

Child Safety

Children need to usually adventure in a suitable infant restraint machine that suits their pinnacle, weight and age. Never carry a infant on your lap, area multiple infant inside the same restraint, or leave a baby unattended in a baby seat. Children have to continue to be nicely seated at some point of the adventure and ought to by no means stand or kneel at the same time as the auto is transferring. Install the child seat in line with the car guide and the manufacturer's instructions. Make positive it is firmly secured, the seat backrest is locked in role, and there may be enough area inside the the front of the kid.

If the head restraint prevents correct set up, alter or get rid of it and reinstall it even as the child seat is eliminated. The rear seats are generally the favored place for kids. Never set up a rear-managing toddler seat in front of an energetic passenger airbag, as deployment can purpose lethal accidents. If a rear-dealing with seat ought to be used within the the the front and the auto permits it, deactivate the passenger airbag and affirm that the PASSENGER AIR BAG OFF indicator remains illuminated. If the indicator does not slight up, do now not use that seat for the child restraint and have the device checked.

For a ahead-going via baby seat mounted inside the the front, flow into the passenger seat as some distance returned as viable, furnished the set up is permitted with the useful resource of the car guide and neighborhood regulations. Child seats can be attached the use of like minded ISOFIX anchorages, authorized seat belts or top tether factors in which provided. Always check which attachment approach is appropriate in your car and baby seat. When the use of ISOFIX, open the anchorage covers, join each attachments consistent with the producer's instructions, and pull the seat to verify that it's miles securely locked.

Use a pinnacle tether best where the automobile and little one seat offer compatible anchorages. Never connect unrelated devices or restraint straps to ISOFIX factors. Check the child seat's weight and height limits earlier than installation, and update the restraint after an twist of fate because of the reality inner harm might not be seen. An unused infant seat should additionally remain securely constant so it cannot circulate across the cabin in the direction of unexpected braking or a collision.